PROTHERM

ALUMINIUM DOORS



SECURITY

Safe day and night, thanks to innovative technology that is invisible but noticeable. Security at Protherm doors is not just a feeling, but a certainty. With a selection of automatic locking, access systems and control systems, you can equip your Protherm doors according to your security needs, leaving danger behind the door.

DESIGN

Your individuality, noticeable even before the visitor enters the house. Our many versions of door models allow you to design your house in an elegant and modern way. This gives your house its own irreplaceable style.

Certificate of Conformity - ift Rosenheim



Opening a door with a fingerprint is just one of many ways

to increase living comfort. From electric door openers,

automatic locking to access systems, we offer system

solutions that can be installed in every house, thus

COMFORT

increasing its value.





TRUSTWORTHY DOORS OF THE FUTURE

We are aware that quality is a matter of trust that pays off in the long run. Therefore, as a manufacturer of entrance doors, we work exclusively with suppliers whose products convince us, and we work exclusively with qualified employees.

All our entrance doors are made from the latest generation of **Schüco** AD UP ALU profiles and are tested at the institute for thermal and sound insulation, airtightness, safety, economy and durability, and achieve the best results in the field of building elements on the market.



ENERGY EFFICIENCY

The heat is kept in the house, the cold should stay outside. Our entrance doors offer thermal insulation that already today meets all the legal requirements of tomorrow. The result: lower energy costs and a commitment to protecting the environment that starts right before your entrance. <u>ALUKÖNIGSTAHL</u> SCHÜCO



NEW SCHÜCO AD UP SYSTEM

The door system in combination with the five-chamber profile design offers high stability with excellent thermal insulation properties. Thanks to a special construction, with a high proportion of aluminum, this system ensures high functional reliability.

HIGHEST QUALITY

Let our front door be a joy to you. For long-term durability, these go through precise quality control during the production process in accordance with strict standards.

ELEGANCE

YOUR DREAMS, YOUR HOME, OUR DOORS

Make your dream come true! Either modern, country style or elegant beautify your home in your personal way. The entrance is the first thing you notice at the house. The front door is the center of attention and contributes decisively to the impression of your home.

They allow entrance into your home and demarcate it from the outside. Quality is of particular importance in the production process of entrance doors. Precise workmanship, mostly manual, ensures durability and reliable enjoyment with our front door.

With our wide range of models, you have every opportunity to realize your personal taste. Let yourself be inspired and give your home a special, individual character that suits you and your family.







Color: RAL 7016 FS

Glazing: sandblasted motif on clear glass Handle: round, D: 800 mm, stainless steel, 7110

Protective trim: **H: 80 mm, stainless steel, 6480** Grooves outside

Lighting: LED threshold lighting, 6800 Sidelight glazing: sandblasted motif on clear glass

Color: RAL 9007 FS

Glazing: sandblasted motif on clear glass Handle: square, D: 600 mm, stainless steel, 7120 Protective trim: H: 22 mm, stainless steel, 6422 Lighting: LED threshold lighting, 6800 Sidelight glazing: sandblasted motif on clear glass Access control: automatic locking and motor unlocking with a fingerprint reader in the panel





PROTHERM

Model S724

Color: **RAL 7016 FS** Additional color on the outside panel: **RAL 3011 FS**

Glazing: sandblasted motif on clear glass Handle: round, D: 800 mm, stainless steel, 7110 Grooves outside







Color: RAL 9007 FS

Glazing: satin

Handle: rectangular with concealed reader, D: 800 mm, stainless steel, 7130-FHN

Grooves outside

Accessories: square scratch protection, stainless steel, 6493

Access control: **automatic locking** and motor unlocking with a fingerprint reader in the handle

Model S705

Color: **RAL 7016 FS**

Glazing: sandblasted motif on clear glass Handle: square with reader, D: 1500 mm, stainless steel, 7120-FVN

Protective trim: H: 22 mm, stainless steel, 6422

Grooves outside

Access control: automatic locking and motor unlocking with a fingerprint reader in the handle







Color: **70105**

Glazing: sandblasted motif on clear glass Handle: Integrated in the panel, D: 1500 mm, 9410 Protective trim: **H: 22 mm, stainless steel, 6422** Access control: automatic locking and motor unlocking with a fingerprint reader in the panel

Model S730

Color: **70161**

Glazing: sandblasted motif on clear glass (bespoke motif, inscription: 78) Handle: round, D: 600 mm, stainless steel, 7110 Protective trim: H: 22 mm, stainless steel, 6422 Access control: automatic locking and motor unlocking with a fingerprint reader in the panel

5-point lock with safety pins and hooks, resistance class RC3

6



Color: **RAL 7016 FS** Additional color on the outside panel: **70015 FS**

Glazing: sandblasted motif on clear glass

Handle: square, D: 800 mm, stainless steel, 7120

Protective trim: **H: 80 mm,** stainless steel, 6480

Application: **stainless steel outside / 3 aligned, 6706**

Lighting: LED threshold lighting, 6800

Sidelight glazing: sandblasted motif on clear glass





Model S711

Color: RAL 9016 FS

Additional color on the outside panel: **RAL 8019 FS**

Glazing: sandblasted motif on clear glass

Handle: square, D: 800 mm, for reader, stainless steel, 7120-FVN

Protective trim: H: 22 mm, stainless steel, 6422

Grooves outside

Access control: **automatic locking and motor unlocking with a fingerprint reader in the panel**

Sidelight glazing: sandblasted motif on clear glass

Model S720

Color: **80077 FS** Glazing: **sandblasted motif on clear glass** Handle: **round, D: 600 mm, stainless steel, 7110 Grooves outside**





Color: RAL 8019 FS

Glazing: sandblasted motif on clear glass Handle: round with reader, D: 800 mm, stainless steel, 7110-FVN

Protective trim: **H: 50 mm, stainless steel, 6450**

Application: stainless steel outside / 3 aligned, 6727 Accessories:

house number 64, stainless steel, 6495

Access control: automatic locking and motor unlocking with a fingerprint reader in the panel





Wood decor and sandblasted motif in glass

Model S725

Color: RAL 9007 FS

Additional color on the outside panel: **DARK OAK FS**

Glazing: sandblasted motif on clear glass Handle: rectangular-curved, D: 1500 mm, stainless steel, 7160

Grooves outside

Access control: automatic locking and motor unlocking with a fingerprint reader in the panel

Sidelight glazing: sandblasted motif on clear glass



ELEGANCE

Model S717

Color: RAL 9007 FS

Handle: square, D: 600 mm, stainless steel, 7120 Protective trim: H: 22 mm, stainless steel, 6422 Grooves outside Lighting: LED threshold lighting, 6800 Sidelight glazing: sandblasted motif on clear glass



Model S712

Color: 80077 FS

Handle: **round, D: 600 mm, stainless steel, 7110** Protective trim: **H: 80 mm, stainless steel, 6480** Lighting: **LED threshold lighting, 6800** Sidelight glazing: **sandblasted motif on clear glass**



PROTHERM

Model S703

Color: RAL 7016 FS

Handle: square, D: 1800 mm, stainless steel, 7120

Protective trim: **H: 80 mm, stainless steel, 6480** Application: **stainless steel outside** / **3 aligned, 6703**

Lighting: LED threshold lighting, 6800





Color: 80077 FS Handle: square, D: 800 mm, stainless steel, 7120 Protective trim: H: 22 mm, stainless steel, 6422

ELEGANCE

Grooves outside

Lighting: LED threshold lighting, 6800 Sidelight glazing: sandblasted motif on clear glass (optional motif, inscription: 89B)



89B



Model S718

Color: **80077 FS** Handle: **square, D: 800 mm, stainless steel, 7120**

Protective trim: **H: 22 mm, stainless** steel, 6422

Grooves outside

Sidelight glazing: sandblasted motif on clear glass





Color: 80077 FS Handle: round, D: 600 mm, stainless steel, 7110 Protective trim: **H: 80 mm,** stainless steel, 6480 Grooves outside Lighting: LED threshold lighting, 6800

Sidelight glazing: sandblasted motif on clear glass







Model S701

Color: 80077 FS

Additional color on the outside panel: RAL 9006 FS

Handle: square, D: 600 mm, stainless steel, 7120

Protective trim: **H: 80 mm, stainless** steel, 6480

Sidelight glazing: sandblasted motif on clear glass (optional motif, inscription:



Color: 80077 FS Glazing: completely sandblasted on clear glass Handle: square, D: 800 mm, stainless steel, 7120

stainless steel, 7120 Protective trim: H: 80 mm, stainless steel, 6480

Grooves outside

Glazing lighting: sandblasted motif on clear glass









Color: RAL 9006 FS

Glazing: **satin**

Handle: rectangular with reader, D: 1500 mm, stainless steel, 7130-FVN Grooves outside

Access control: **automatic locking and motor unlocking with a fingerprint** reader in the handle

127 128

PROTHERM

Model S709

Color: **70105**

Glazing: satin Handle: round, D: 1500 mm, stainless steel, 7110 Protective trim: H: 80 mm, stainless steel, 6480 Lighting: LED threshold lighting, 6800 Glazing lighting: sandblasted motif on satin glass







Color: RAL 7016 FS

Glazing: **satin**

Handle: rectangular with reader, D: 800 mm, stainless steel, 7130-FVN

Protective trim: **H: 22 mm, stainless steel,** 6422

Access control: automatic locking and motor unlocking with a fingerprint reader in the panel

Model S707

Color: RAL 9007 FS Glazing: satin Handle: rectangular, D: 800 mm, stainless steel, 7130 Protective trim: H: 22 mm, stainless steel, 6422 Grooves outside




Color: 80077 FS Glazing: sandblasted motif on clear glass Handle: round, D: 1500 mm, stainless steel, 7110

Protective trim: **H: 22 mm,** stainless steel, 6422 Grooves outside









Model S723

Color: RAL 9007 FS Glazing: satin Handle: round, D: 1500 mm, stainless steel, 7110 Grooves outside

ELEGANCE

Model S713

Color: **70015 FS**

Glazing: sandblasted motif on clear glass Handle: round, D: 600 mm, stainless steel, 7110 Protective trim: H: 80 mm, stainless steel, 6480 Grooves outside





Model S719

Color: RAL 9006 FS Glazing: sandblasted motif on clear glass Handle: round, D: 600 mm, stainless steel, 7110 Grooves outside

Model S715

Color: RAL 9016 FS

Glazing: sandblasted motif on clear glass Handle: round, D: 600 mm, stainless steel, 7110 Protective trim: H: 80 mm, stainless steel, 6480 Application: stainless steel outside / 1 aligned, 6715







Color: RAL 9007 FS

Glazing: sandblasted motif on clear glass

Handle: round, D: 600 mm, stainless steel, 7110

Protective trim: **H: 80 mm, stainless** steel, 6480

Grooves outside

Accessories: oval-S scratch protection, stainless steel, 6492 letter slot, stainless steel, 6649



Door in a semicircular design



Model S721

Color: RAL 7016 FS

Additional color on the outside panel: **RAL 3011 FS** Glazing: **sandblasted motif on clear glass** Handle: **round, D: 600 mm, stainless steel, 7110 Grooves outside**



Color: 80077 FS Glazing: sandblasted motif on clear glass Handle: round, D: 600 mm, stainless steel, 7110 Protective trim: H: 80 mm, stainless steel, 6480 Grooves outside

Accessories: oval-L scratch protection, stainless steel, 6491 house number 76, stainless steel, 6495 Sidelight glazing: sandblasted motif on clear glass









Color: RAL 9007 FS Glazing: sandblasted motif on clear glass Handle: hook with shield, 7016 Protective trim: H: 80 mm, stainless steel, 6480 Grooves outside



Model S734

Color: RAL 8019 FS Glazing: sandblasted motif on clear glass Handle: round-curved, D: 750 mm, stainless steel, 7170 Protective trim: H: 80 mm, stainless steel, 6480 Grooves outside Accessories: square scratch protection, stainless steel, 6493

PRESTIGE

CHOOSE YOUR DREAM DOOR FOR YOUR HOME

Are you a prudent perfectionist who loves details? You get both with us. Precisely hand-made unique details, the latest materials and perfect workmanship are a guarantee for your long-term satisfaction. With the PROTHERM PRESTIGE entrance door, you can be different from others. Be brave and add your personal stamp to your home.





PRESTIGE

Model S912

Color: 80077 FS

ESG cover glass on the outside panel decor frosted glass SM-M1

Handle: design integrated in the panel, stainless steel with decor gloss ESG glass SM-00, with reader, 9912-FVE

Access control: automatic locking and motor unlocking with a fingerprint reader in the handle

Sidelight glazing: sandblasted motif on clear glass





Door view Model S912, fingerprint reader in the handle and LED lighting.



Color: RAL 9016 FS

0

ESG cover glass on the outside panel **decor frosted glass SM-M2** Handle: **rectangular, D: 1800 mm, stainless steel, 7130** Grooves outside

Model S904

Color: RAL 7016 FS

ESG cover glass on the outside panel decor frosted glass SM-M5 Handle: integrated in the panel, stainless steel with LED lighting and inscription, 9320-L-N







Color: 80077 FS

ESG cover glass on the outside panel **decor frosted glass SM-M1** Handle: **round, D: 2000 mm, stainless steel, 7110** Sidelight glazing: **sandblasted motif on clear glass**

Model S908

Color: RAL 9006 FS

ESG cover glass on the outside panel **decor frosted glass SM-M4** Handle: **integrated in the panel, D: 1500 mm, 9410**

Model S907

Color: RAL 9007 FS

ESG cover glass on the outside panel **decor shine glass SM-00** Handle: **premium Vision, D: 1550 mm, stainless steel with glossy glass decor SM-00, 9110 Grooves outside**

Color: 80077 FS

ESG cover glass on the outside panel decor frosted glass SM-M3 Handle: square, D: 1000 mm, stainless steel, 7120 Grooves on the cover ESG glass outside Sidelight glazing: sandblasted motif on clear glass





Handle integrated in the panel with LED lighting (night view)





Color: 80077 FS Handle: integrated in the panel, with LED lighting, 9902-L Protective trim: H: 22 mm, stainless steel, 6422 Grooves outside Sidelight glazing: sandblasted motif on clear glass



Model S901

Color: **70015 FS**

Handle: integrated in the panel, with LED lighting, D: 2000, 9410-L Protective trim: H: 22 mm, stainless steel, 6422 Lighting: LED threshold lighting, 6800 Access control: automatic locking and motor unlocking with a code keypad on the frame Sidelight glazing: sandblasted motif on clear glass (optional motif, 2x line and inscription: 89B)



View of the fingerprint reader in the handle integrated into the panel





Stainless steel handle integrated in the panel

Model S905

Color: **RAL 9007 FS** Handle: **integrated in the panel, stainless steel, 9300** Protective trim: **H: 22 mm, stainless steel, 6422** Application: **stainless steel outside / 1 aligned, 6905** Sidelight glazing: **sandblasted motif on clear glass (optional motif, 2x line and inscription: 89B)**







Color: RAL 9016 FS Handle: integrated in the panel, D: 2000, 9410

Grooves outside

Access control: **automatic locking and motor unlocking with a fingerprint reader in the panel** Sidelight glazing: **satinato**

Model S903

Color: RAL 7016 FS Handle: integrated in the panel, 9903 Protective trim: H: 22 mm, stainless steel, 6422 Grooves outside Sidelight glazing: satinato

Wavy grooves on the panel

STANDARD EQUIPMENT

Already with standard equipment, the aluminum entrance door impresses with its many advantages, such as the new SCHÜCO SMART 75 SI profile system, three-point security lock, triple glazing, three solid Schüco door frames and a double-sided cover door leaf.





GLASSES

3-layer glazing of group G1





ALTDEUTSCH BELI

CHINCHILLAS

PROFILE SYSTEM

• 3 seals in the sash and frame

double-sided overlapping door leaf

element thickness 75 mm

• Door height up to 2,400 mm

panel thickness 75 mm

SCHÜCO SMART 75 SI:

Reduced bimetallic effect thanks to hybrid composite

COLOR

(FS)



HINGES

three SCHÜCO AD UP hinges in color EV1, 4710



Stainless steel hook with oval rosette inside, 5011



SAFETY CYLINDER

Profile cylinder with doublesided safety operation (NG function) and 3 keys, 4000



SECURITY ROSETTE Stainless steel safety rosette

CLEAR



PVC sill in black, 4949

THRESHOLD



LOCK 3-point lock with two hooks, resistance class RC3, 4030

White RAL 9016 fine structure

New generation SCHÜCO profile system

SCHÜCO SMART 75 SI

Elegant and modern system solution

- 3 seals in the sash and frame
- element thickness 75 mm
- panel thickness 75 mm
- reduced bimetallic effect thanks to the hybrid composite
- double-sided overlapping door leaf
- door height up to 2,400 mm



SCHÜCO SMART 85 SI

Contour - entrance door with emphasis

- 3 seals in the sash and frame
- element thickness 85 mm
- panel thickness 85 mm
- reduced bimetallic effect thanks to the hybrid composite
- double-sided overlapping door leaf
- door height up to 2,400 mm



SCHUCO AD UP 75

Excellent system properties

- + thermal conductivity Ud of 0.86 W / (m² \cdot K)
- 5-chamber aluminum profile with sliding profile system for maximum stability.
- reduced bimetallic effect thanks to the hybrid composite
- double-sided overlapping door leaf
- door height up to 3,000 mm



DECLARATION OF PERFORMANCE ACCORDING TO EN 14351-1: 2006 + A2: 2016-09

- Burglar protection / up to RC3
- + Suitable for climatic conditions / 2 (d) / 2 (e)
- Noise protection / Rw (C; Ctr) bis 42 (-1; -4) dB
- Thermal conductivity
- Continuous functionality / up to 7
- Impact resistance / up to 1
- Load resistance / up to 5
- Air permeability / up to 4
- Wind load resistance / up to C3 / B3
- Waterproof / up to E750
- Mechanical strength / up to 3

SCHUCO AD UP 90

High-performance profiles for residential houses

- + thermal conductivity Ud of 0.74 W / (m² \cdot K)
- double central seal provides good sealing and excellent insulating properties
- reduced bimetallic effect thanks to the hybrid composite
- double-sided overlapping door leaf
- declaration of performance according to EN 14351-1: 2006 + A2: 2016-09
- door height up to 2,500 mm

SCHÜCO AD UP 90SI

Entrance doors for passive houses


- + thermal conductivity of the door Ud of 0.68 W / (m^2 \cdot K)
- double central seal provides good sealing and excellent insulating properties
- reduced bimetallic effect thanks to the hybrid composite
- double-sided overlapping door leaf
- door height up to 2,500 mm



COLORS

Would you like to let your creativity run free and give your door a personal touch with an individually chosen color?


The Protherm color chart offers you a huge selection of color and design variations, so there is no limit to your imagination in individually designing your doors.



OUTER HANDLES



Even the most basic model of stainless steel handle will emphasize the elegant look of your door. Show that you are a perfectionist and love perfection by choosing a rectangular shape. All handles are made of high quality stainless steel of various lengths and each can be customized to your needs by installing discrete LED lighting and a fingerprint reader. Have you already chosen yours?



LED-LIGHTING

By choosing the LED lighting in the handle, a discreetly lit entrance will be waiting for you when you get home.





FINGERPRINT READER FRONT OR REAR

When selecting a fingerprint reader, it can be placed in the handle in a visible place, or in a discreet place behind the handle.



PROTHERM

OUTER HANDLES - Premium Vision



Stainless steel handle Stainless steel Stainless steel handle | Stainless steel handle with with **aluminum** with **oak wood** handle with **glass** decor in door color decor decor walnut wood decor Handles with or without LED lighting 55 90 115 155 cm Fingerprint reader handles and option with or without LED lighting 65 100 125 155 180 220 ст

Premium Vision stainless steel door handles stand out the most for their aluminum, glass and wooden inserts, which are made of natural wood. These can be made of oak and walnut or of a material of the customer's choice, they can be painted or special motifs can be printed on them.

Premium handles glow magically in the evenings when the built-in LED lighting lights up in them. Easy opening of the door is made possible by a fingerprint reader built into the handle. (LED lighting and fingerprint reader are available as an option)

COMBINED HANDLES / CURVED HANDLES


WOOD AND STAINLESS STEEL **CURVED HANDLES Curved stainless steel** Curved stainless steel Rectangular Round handle round handle square Oak Cherry Wenge Stainless steel handle in combination with solid wood: 100 120 150 180 60 80 cm Oak / Cherry / Wenge For those who swear by irregular shapes, round and square curved handles are available. This is best seen on doors where the glass or decor 120 cm 140 160 motif is irregular.

Combination of stainless steel and solid wood available in round or rectangular design.


HANDLE INTEGRATED IN THE PANEL

model.


Stainless steel handle integrated in the panel, **9300**



Stainless steel handle integrated in the panel, **9310**



Stainless steel handle integrated in the panel, **9350**




Handle integrated in the panel, 9410



Today, the integrated handle is a masterpiece that makes even the simplest doors sophisticated. In the color of the door or brushed stainless steel with a combination of LED lighting, it will impress you every time you return home in the evening. The seal of the uniqueness of the door gives your signature in the handle. You can also choose integrated handles for other door models.

Ask your consultant for the possibility of execution on the selected door

Stainless steel handle integrated in the panel, **9330**



Handle integrated in the panel, 9902



Stainless steel handle integrated in the panel, **9320**



DOOR HANDLES



For anyone who likes a good grip, a round hook is a great choice. We have selected 5 sales hits for you, which delight many customers around the world.



Fans of square hooks most often choose a rectangular rosette. They do not look at the outer handle, which can also be round. The inside of the door is the story for you. Choose the model that suits you best.

PROTHERM

GLASSES

GROUP **G1** (Standard) included in the price of the door



CLEAR



CHINCHILLAS



ALTDEUTSCH BELI

GROUP G2

for an extra charge according to the door model



SATIN



PERSOL GRAY



ALTDEUTSCH BROWN



PARSOL BROWN

GROUP G3

za for an extra charge according to the door model



SANDBLASTED MOTIF ON CLEAR GLASS (clear lines)



MADRAS MARMO



SANDBLASTED MOTIF ON SATIN GLASS (frosted lines)



PAVE BELI



UADI



MASTERCARRE



For more security and burglary protection. Select safety glass: VSG, P2A, ESG or P4A.

VSG safety glass 6 mm P2A safety glass 8 mm ESG tempered glass 6 mm P4A safety glass 10 mm (is an integral part of the RC2 door)



ESG GLASS COVER WITH PRINTED MOTIF

The glossy black glass design emphasizes even the smallest detail on the door. A detail that many visitors associate with prestige and power. Arouse playfulness in yourself and curiosity of your visitors with the chosen motif. You don't want to stand out and you like the black design - then choose a desing black glass in a matte finish with or without a pattern.

PRINTED GLASS IN GLOSSY OR FROSTED SURFACE.

SM-00 GLOSS BLACK

SM-M5

SM-10 GLOSS WHITE



SM-M2

SM-M3

SM-M4



SM-M6





3-point lock with 2 hooks, resistance class RC3, 4030

5-point lock with safety pins and hooks, resistance class RC3, **4130**

closing function, **4160**



Automatic 5-point lock with safety pins and hooks, resistance class RC3, 4230

OPTION: day - night closing function with spring latch for automatic lock 4250 with 4180

Automatic 5-point lock with electronic unlocking, resistance class RC3, **4330**

OPTION: day - night closing function with spring latch for automatic lock with electronic opening 4340 with 4180

PARTIAL OPENING - door guard

OPTION for **4030**. **4130** and **4230**.



(Funzione diurna oppure incontro elettrico non disponibile con serratura 4330)

Partial opening lock with button in EV1, **4170**

ACCESS

FINGERPRINT READER

WITH 3D FUNCTION, MINEX 3 certified

- 窳 FINGERPRINT CAPACITY: 166
- ,Q_A NUMBER OF ADMINISTRATORS: unlimited
- Ť ON / OFF BLUE LIGHTING
- READER SECURITY LOCK
- <u>.</u> DOOR LED LIGHT MANAGEMENT
- Ē HISTORY OF EVENTS
- SETTING RELAYS 1 or 2
- (1)ACCESS SCHEDULE FOR USERS
- ĥ FREE PASSAGE MODE
- F. EXPORT / IMPORT OF FINGERPRINTS BASE
- EMERGENCY UNLOCKING WITH APPLICATION P (within local door range)

CODE KEYBOARD

For anyone looking for an alternative to a fingerprint reader.

- ANALOG CONTROL
- MEMORY: 100 code
- , Q NUMBER OF ADMIN CODES: 1
- NUMBER OF RELAYS: 1 or 2

Lock options 4330

Electric opener with day - night



ELECTRIC OPENER

OPTION for 4030 and 4130



BURGLAR PROTECTION OF THE ENTRANCE DOOR

Desire for security - a place where we are at home, where we can retreat, a place where it gives us a sense of security. Equipped doors in RC2 or RC3 security level are therefore the right choice to effectively protect your home and family from burglars.



The anti-burglary-proof Protherm door, closed and locked, prevents the attempt of forced entry by physical force or with the help of tools for a certain period of time.

Fingerprint reader in the handle



Fingerprint reader in integrated handle



Fingerprint reader in the door leaf



Code keypad in the panel **4380**

Anti-burglary door resistance class RC2 according to DIN EN 1627 (certified by ift Rosenheim)



Anti-burglary door, for increased protection, resistance class RC3 according to DIN EN 1627 (certified by ift Rosenheim)



45

ACCESSORIES

Protherm offers a number of options to make your new front door even safer and easier to use. Be it with elements for even greater security, control, easier management, protection or care.



STAINLESS STEEL SCRATCH PROTECTION ON DOOR PANEL, AVAILABLE IN SHAPES, OVAL-S, OVAL-L, (aligned with the door surface)



SANDBLASTED MOTIF ON THE GLASS ACCORDING TO THE CUSTOMER'S WISHES



STAINLESS STEEL HOUSE NUMBER, (aligned with the door surface)



STAINLESS STEEL PROTECTIVE TRIM 22 mm, 50 mm OR 80 mm HEIGHT (aligned with the door surface)



SPYHOLE NORMAL OR DIGITAL WITH CAMERA AND SCREEN




DOOR CLOSER, visible or integrated in the door



SECURITY CYLINDER WITH SECURITY CARD I6 OR IX







MAGNETIC SWITCH





HIDDEN HINGES



LOCK SWITCH































PROTHERM DOORS d.o.o. Zaloška cesta 185, SI - 1000 Ljubljana

+386 (0)40 379 211 info@protherm.si www.protherm.si www.protherm-doors.de